
BRITISH FIRES®

2026 New Products



2026 New Products

New Forest Display Units
Ashlet Insert Series
Bramshaw Stove







New Forest Display Units







- Easy 1-hour assembly time
- No tools or screws required
- Premium wood grain effect laminate boards
- Two colors: Buff Elm & Carbon Frozenwood
- Option to include wall mounted TV display
- Available for all New Forest models

Unit + Display Offer Price

48" Display unit $999

63" Display unit $1,199

75" Display unit $1,399


TIMELESS SPACES: MODERN INTERIORS
URBAN LIVING: CONTEMPORARY DESIGN

Ashlett Insert Series












Bramshaw Stove











Dimensions & Specifications



Ashlett Insert Series

Ashlett 26" Dimensions


A	652.0 mm	25 ⅝ in
B	491.0 mm	19 ⅓ in
C	677.0 mm	26⅝ in
D	301.0 mm	11⅘ in
E	363.0 mm	14 ⅛ in
F	83.0 mm	3 ¼ in
G	90.0 mm	3 ½ in

Ashlett 30" Dimensions

A	762.0 mm	30 in
B	576.0 mm	22 ¾ in
C	787.0 mm	31 in
D	301.0 mm	11⅘ in
E	448.2 mm	17 ¹¹⁄₁₆ in
F	83.0 mm	3 ¼ in
G	90.0 mm	3 ½ in

Ashlett 36" Dimensions

A	922.0 mm	36 ⅓ in
B	696.0 mm	27 ⅖ in
C	947.0 mm	37 ¼ in
D	301.0 mm	11⅘ in
E	568.2 mm	22 ¹¹⁄₁₆ in
F	83.0 mm	3 ¼ in
G	90.0 mm	3 ½ in



Ashlett Insert Features

- One-sidedm two-sided, or three-sided installations
- Remote control
- Full thermostatic control
- Timer control options
- Downlighting
- Five fuel bed colours (red, orange, yellow, red+orange, red+yellow)

Tech Specs

Supply voltage	120V AC
Rating power	60Hz
Heat output	1500W
Lighting	LED
Certification	CSA

Features

- Deluxe Real Logs
- Rear Black Glass

Upgrade Options

- Thick Fraames (one-sided, two-sided, three-sided)



Bramshaw Stove

Dimensions


A .....400.0 mm .....15 ¾ in

B .....788.0 mm ..... 31 in

C .....1013.0 mm ..... 39⅞ in

D .....312.0 mm ..... 12 ¼ in

E .....225.0 mm .....8⅞ in



Stove Pipe Dimensions

A ..... 253.0 mm ..... 10 in


B ..... 695.0 mm .....27 ⅓ in

C ..... 152.0 mm ..... 6 in

D ..... 543.0 mm ..... 21 ⅓ in

E ..... 200.0 mm .....7⅞ in

F..... 186.6 mm .....7 ¾ in



Features

Remote control

Full thermostatic control

Timer control options

Downlighting

Deluxe Real Logs

Stove Pipe – Optional add-on

Tech Specs

Supply voltage.....120V AC

Rating power..... 60Hz

Heat output 1500W

Lighting.....LED

Certification .....CSA



BRITISH

FIRES®

